



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (1)
PART II—Section 3—Sub-section (1)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 358]

नई दिल्ली, मंगलवार, अक्टूबर 19, 1993/आश्विन 27, 1915

No. 358] NEW DELHI, TUESDAY, OCTOBER 19, 1993/ASVINA 27, 1915

उद्योग मंत्रालय
(आर्थिक विकास विभाग)

अधिसूचना

नई दिल्ली, 19 अक्टूबर, 1993

सा.का.नि. 659 (अ) :—गैस सिलेन्डर नियम, 1981 का और संशोधन करने के लिए कतिपय नियमों का निम्नलिखित प्रारूप, जिसे केंद्रीय सरकार, विस्फोटक अधिनियम, 1984 की धारा 5 और धारा 7 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, बनाना चाहती है, उक्त अधिनियम की धारा 18 की उपधारा (1) की अपेक्षानुसार ऐसा सभी व्यक्तियों की जानकारी के लिए प्रकाशित किया जाता है, जिनके उससे प्रभावित होने की संभावना है और इसके द्वारा यह सूचना दी जाती है कि उक्त प्रारूप पर इस अधिसूचना के राजपत्र में प्रकाशन की तारीख से पैंतालीस दिन की अवधि की समाप्ति पर या उसके पश्चात् विचार किया जाएगा।

उन आक्षेपों या सुझावों पर जो इस प्रकार विनिर्दिष्ट तारीख के पूर्व उक्त प्रारूप की बाबत किसी व्यक्ति से

प्राप्त होंगे, केंद्रीय सरकार (श्री अखंड प्रताप सिंह संयुक्त सचिव, उद्योग मंत्रालय, उद्योग भवन, नई दिल्ली) विचार करेगी।

1. इन नियमों का संक्षिप्त नाम गैस सिलेन्डर (संशोधन) नियम, 1993 है।

2. नियम 3 (1) में उपखंड (ग) के पश्चात् निम्नलिखित को इस प्रकार जोड़ा जाएगा :—

अनुमोदन प्राप्त करने के लिए निम्नलिखित विनिर्दिष्टियां मुख्य नियंत्रक को प्रस्तुत की जाएगी—

- (i) सिलेन्डरों की कुल संख्या और क्रम संख्या;
- (ii) सिलेन्डरों के विनिर्माणों का नाम और पता;
- (iii) वे विनिर्देश जिनके अनुरूप सिलेन्डर और उनके साथ लगे जाव है।
- (iv) इससे पूर्व सिलेन्डर के आयात करने, भरने और प्रयोग करने की अनुज्ञा देने वाले निर्देश (पत्र संख्यांक और तारीख यदि कोई हो);

(v) सिलेन्डरों की बाबत विनिर्माण परीक्षण और निरीक्षण प्रमाण पत्र जिसमें सिलेन्डरों के विनिर्माण

में प्रयोग की गई सामग्री के विनिर्देश, रासायनिक संरचना और भौतिक गुण उपदर्शित किए गए हों और प्रत्येक सिलेन्डर की वाचन किए गए प्रवर्धित तनन परीक्षण का अभिलेख और उसके अन्य आवश्यक व्यौरे ,

(vi) सिलेन्डरों के साथ फिट किए गए/फिट किए जाने वाले वाल्वों के संबंध दस्तावेजों जिनमें उनके विनिर्देश या अन्य व्यौरे उपदर्शित हों ;

(vii) प्रति एक हजार सिलेन्डरों या उसके भाग के लिए दो सौ रुपए जांच फीस, परन्तु यह कि संख्या में पांच से अधिक चिकित्सा सिलेन्डरों के लिए कोई णल्क संशेय नहीं होगा ।

3. नियम (3) में, विद्यमान वाक्य के स्थान पर निम्नलिखित रखा जाएगा —

“सिलेन्डरों, वाल्वों, सेल्फ क्लोजिंग वाल्वों में संलग्न रेगुलेटर्स और अन्य फिटिंगों को बनाने का इच्छुक कोई भी व्यक्ति अनुसूची III में दी गई विशिष्टियाँ और एक हजार रुपए जांच फीस मुख्य नियंत्रक को देगा ।

1. नियम 27 में, निम्नलिखित जोड़ा जाएगा —

“ऐसे अनुमोदन का इच्छुक कोई व्यक्ति मुख्य नियंत्रक को निम्नलिखित प्रस्तुत करेगा —

- (i) दस्तावेजी साक्ष्य जिनमें यह उपदर्शित हो कि सिलेन्डरों का क्रय उनके द्वारा किया गया है ;
- (ii) पूर्व में सिलेन्डरों को भरने की अनुज्ञा देने वाले पत्र की फोटो प्रति,
- (iii) एक विवरण दो प्रतियों में जिसमें उपर की क्रम में सिलेन्डरों की विनिर्माताओं की क्रम संख्या दर्शित हो ;

(iv) उस प्रभाव का एक प्रमाणपत्र कि सिलेन्डर/सिलेन्डरों को पूर्व में किसी अन्य गैस सेवा में सपरिवर्तित नहीं किया गया है ।

(v) उस प्रभाव का एक प्रमाणपत्र कि सिलेन्डरों में ग्राई एस : 3224 या किसी अन्य स्वीकार्य कोड के अनुरूप समुचित वाल्व फिट किए गए हैं और वाल्वों में संबंधित दस्तावेज ;

(vi) इस प्रभाव का एक प्रमाणपत्र कि सिलेन्डर गैस सिलेन्डर नियम, 1981 के अधीन अपेक्षा-नुसार रंगे गए और चिन्हित हैं ;

(vii) प्रति एक हजार सिलेन्डरों या उसके भाग के लिए दो सौ रुपए की जांच फीस ।

5. नियम 39, उपनियम (2) के स्थान पर निम्नलिखित रखा जाएगा—

“(2) कोई भी परीक्षण स्टेशन जो सिलेन्डरों की नियत-कालिक जांच और परीक्षा करने के लिए मान्यता प्राप्त करने का इच्छुक है, अनुसूची 4 में दी गई सुविधाओं की व्यवस्था करेगा और मुख्य नियंत्रक को उपलब्ध कराई गई सुविधाओं की विशिष्टियों और पांच सौ रुपए जांच फीस देगा ।”

6. नियम 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65 और 70 में “मुख्य नियंत्रक” शब्द जहाँ-जहाँ दो आते हैं के स्थान पर “अनुज्ञापन अधिकारी” शब्द रखे जाएंगे ।

7. उक्त नियमों के नियम 57 में निम्नलिखित परन्तुक अंतःस्थापित किया जाएगा, अर्थात् :—

“परन्तु यह कि मुख्य नियंत्रक द्वारा अनुदत्त अनुज्ञप्ति का बिना किसी परिवर्तन के नवीकरण इस निमित्त मुख्य नियंत्रक द्वारा सम्यक् रूप से प्राधिकृत किसी नियंत्रक द्वारा किया जा सकेगा ।”

8. उक्त नियमों के नियम 62 के उपनियम (1) में “मुख्य नियंत्रक” शब्द के पश्चात् “या इस निमित्त मुख्य नियंत्रक द्वारा सम्यक् रूप से प्राधिकृत नियंत्रक” शब्द अंतःस्थापित किए जाएंगे ।

9. उक्त नियमों के नियम 66 के स्थान पर निम्नलिखित रखा जाएगा अर्थात् :—

“अपील (1) इन नियमों के अधीन अनुज्ञप्ति के देने या संशोधन या उसके नवीकरण में इंकार करने या अनुज्ञप्ति के रद्दकरण या निवन्धन के किसी आदेश के विरुद्ध अपील—

(i) जहाँ आदेश मुख्य नियंत्रक द्वारा पारित किया गया है केंद्रीय सरकार को और

(ii) यदि आदेश मुख्य विस्फोटक नियंत्रक द्वारा पारित किया गया है, मुख्य नियंत्रक को

की जाएगी ।

(2) प्रत्येक अपील लिखित रूप में की जाएगी और उसके साथ उस आदेश की एक प्रति होगी जिसके विरुद्ध अपील की जा रही है और वह, यदि केंद्रीय सरकार को अपील की जाती है तो ऐसे आदेश के पारित होने से 60 दिन के भीतर और यदि मुख्य नियंत्रक को अपील की जाती है तो 30 दिन के भीतर पेश की जाएगी ।

10. उक्त नियमों की अनुसूची 5 में क्रम सं. 3 के सामने “अनुज्ञप्ति अनुदत्त करने के लिए पत्रागत प्राधिकारी” स्तंभ के नीचे “मुख्य विस्फोटक नियंत्रक” शब्दों के स्थान

पर "मुख्य विस्फोटक नियंत्रक या मुख्य विस्फोटक नियंत्रक द्वारा प्राधिकृत विस्फोटक नियंत्रक" शब्द रखे जाएंगे।

[फा.सं. 2(10)/87-डी पी आर (ईजीजीएस)]

ए.पी. सिंह, संयुक्त सचिव

पाद टिप्पण :- मुख्य नियम भारत के राजपत्र भाग 2, खण्ड 3 (i) में ता. 24 फरवरी, 1981 का अधिसूचना सं.सा.का.नि. 77 (अ) के तहत प्रकाशित किये गये थे और बाद में,—

1. भारत के राजपत्र, भाग 2, खण्ड 3, उप-खण्ड (i) सं. 42 दिनांक 29-1-91 से प्रकाशित अधिसूचना सं. सा.का.नि. 50 (अ), दिनांक 29-1-91 द्वारा संशोधन किया गया था।

MINISTRY OF INDUSTRY

(Department of Industrial Development)

NOTIFICATION

New Delhi, the 19th October, 1993

G.S.R. 659(E).—The following draft of certain rules further to amend the Gas Cylinders Rules, 1981, which the Central Government proposes to make in exercise of the powers conferred by Sections 5 and 7 of the Explosives Act, 1884, is hereby published, as required by sub-section (1) of section 18 of the said Act for the information of all persons likely to be affected thereby and notice is hereby given that the said draft will be taken into consideration on or after the expiry of 45 days from the date of publication of this notification in the Official Gazette.

Any objections or suggestions which may be received from any person in respect of the said draft before the date so specified will be taken into consideration by the Central Government. (Shri Akhand Pratap Singh, Joint Secretary, Ministry of Industry, Udyog Bhavan, New Delhi).

1. These rules may be called Gas Cylinders (.....Amendment) Rules 1992.

2. In rule 3(1), after sub-clause (b), the following may be added as follows—

For obtaining approval, the following particulars shall be submitted to the Chief Controller—

- (i) Total number and serial numbers of the cylinders;
- (ii) Name and address of the manufacturers of the cylinders;
- (iii) Specification to which the cylinders and the valves fitted thereto, conform;
- (iv) References (letter number and date) permitting importation, filling and use of the cylinders in the past, if any;
- (v) Manufacturers' test and inspection certificates in respect of the cylinders indicating specification, chemical composition and physical properties of the material used in the manufacture of the cylinders and

record of hydraulic stretch test conducted in respect of each cylinder and other necessary details thereof;

- (vi) Documents pertaining to the valves fitted/to be fitted to the cylinders indicating specification and other details thereof;
- (vii) A scrutiny fee of rupees two hundred for every one thousand cylinders or part thereof, provided that no fee would be payable for medical cylinders not exceeding five in number.

3. In rule 3(3), the existing sentence shall be substituted by the following :—

"Any person desiring to manufacture cylinders, valves, regulators attached to self-closing valves and other fittings shall submit to the Chief Controller the particulars set forth in Schedule III and a scrutiny fee of rupees one thousand."

4. In rule 27, the following shall be added—

"Any person desiring for such approval shall submit to the Chief Controller the following—

- (i) Documentary evidence indicating that the cylinders have been purchased by him;
- (ii) Photostat copy of letter permitting filling of the cylinders in the past;
- (iii) A statement, in duplicate, showing manufacturer's serial numbers of the cylinders in ascending order;
- (iv) A certificate to the effect that the cylinder/cylinders had not been converted to any other gas service in the past;
- (v) A certificate to the effect that the cylinders are fitted with appropriate valves conforming to IS : 3224 or any other accepted Code and documents pertaining to the valves;
- (vi) A certificate to the effect that the cylinders are painted and marked as required under the Gas Cylinders Rules, 1981;
- (vii) A security fee of rupees two hundred for every one thousand cylinders or part thereof.

5. In the rule 39, in sub-rule (2), the following shall be added—

"and shall submit to the Chief Controller the particulars of the facilities provided and the scrutiny fee of rupees five hundred."

6. In the rules 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65 and 70 the words "Chief Controller" wherever they occur, shall be substituted by the words "licensing authority".

7. In rule 57 of the said rules, the following proviso shall be inserted, namely :—

"Provided that the licences granted by the Chief Controller may be renewed without any alteration by a Controller duly authorised by the Chief Controller in this behalf."

8. In rule 62 of the said rules, in sub-rule (1) after the words "the Chief Controller", the words "or a Controller duly authorised by the Chief Controller in this behalf" shall be inserted.

9. For rule 66 of the said rules, the following shall be substituted, namely:—

"66. Appeal—(1) An appeal against any order made under these rules refusing to grant, amend or renew a licence or cancelling or suspending a licence, shall lie with—

(i) the Central Government, where the order is passed by the Chief Controller, and with

(ii) the Chief Controller, if the order is passed by the Chief Controller or Explosives.

(2) Every appeal shall be made in writing and shall be accompanied by a copy of the order appealed against and shall be presented within 60 days of the order passed, if preferred to the Central Government and

within 30 days if preferred to the Chief Controller."

10. In Schedule V of the said rules, against Sl. No. 3, under the column "Authority empowered to grant licence", for the words "Chief Controller of Explosives", the words "Chief Controller of Explosives or Controller of Explosives authorised by the Chief Controller of Explosives" shall be substituted.

[F. No. 2(10)/87-DPR/EGGS]

A. P. SINGH, Jt. Secy.

FOOT NOTE.—The Principal Rules were published vide notification No. GSR-77(E), dated 24th February 1981 in the Gazette of India, Part II, Section 3(i) and subsequently, amended by:—

1. Notification No. GSR-50(E) dated 29th January, 1991 published in Gazette of India, Part II, Section 3, sub-section (i) No 42 dated 29th January, 1991.